

Artikelen over fantoompijn

Van de inhoud van de meeste van onderstaande artikelen kan men via PubMed een samenvatting inzien.

Zie www.pubmed.gov

Acerra NE, Souvlis T, Moseley GL.

Stroke, complex regional pain syndrome and phantom limb pain: can commonalities direct future management?
J Rehabil Med. 2007 Mar;39(2):109-14. Review.

Arena JG, Scherman SA, Bruno GM, Smith JD.

The relationship between situational stress and phantom limb pain: cross-lagged correlational data from six month pain logs 1990;34:71-77.

Bach S, Noreng MF, Tjellden NU.

Phantom limb pain in amputees during the first 12 months following limb amputation after preoperative lumbar epidural blockade. Pain, 33 (1988).

Ben Abraham R, Marouani N, Kollender Y, Meller I, Weinbroum AA.

Dextromethorphan for phantom pain attenuation in cancer amputees: a double-blind crossover trial involving three patients.
Clin J Pain. 2002 Sep-Oct;18(5):282-5.

Berendsen HA, Rol M, Hansson OH, Roebroek M.

Hypnotherapie bij fantoompijn. 2001, voordracht tijdens VRA voorjaarssymposium 2001 te Emmen (Netherlands).

Bergmans L, Snijdelaar DG, Katz J, Crul BJ.

Methadone for phantom limb pain.
Clin J Pain. 2002 May-Jun;18(3):203-5.

Birbaumer N, Lutzenberger W, Montoya P, Larbig W, Unertls K, Töpfner S, Grodd W, Taub E, Flor H.

Effects of regional anesthesia on phantom limb pain are mirrored in changes in cortical reorganization.
J Neuroscience, volume 17, number 14, issue of July 15, 1997, pp 5503-5508.

Bloomquist T.

Amputation and phantom limb pain: a pain-prevention model.
AANA J. 2001 Jun;69(3):211-7. Review.

Bone M, Critchley P, Buggy D.J.

Gabapentin in postamputation phantom limb pain: a randomized, double blind, placebo-controlled, cross-over study. Regional anesthesia and pain medicine, Vol 27, No 5 (September - October), 2002: pp 481-486.

Bosmans JC, Suurmeijer TP, Hulsink M, van der Schans CP, Geertzen JH, Dijkstra PU.

Amputation, phantom pain and subjective well-being: a qualitative study.
Int J Rehabil Res. 2007 Mar;30(1):1-8.

Bradbrook D.

Acupuncture treatment of phantom limb pain and phantom limb sensation in amputees. Acupunct Med. 2004 Jun;22(2):93-7.

Chahine L, Kanazi G.

Phantom limb syndrome: a review.
Middle East J Anesthesiol. 2007 Jun;19(2):345-55. Review.

PMID: 17684875 [PubMed - indexed for MEDLINE]

Cohen SP, Villena F, Mao J.

Two unusual cases of postamputation pain from Operation Iraqi Freedom. *J Trauma*. 2007 Mar;62(3):759-61. No abstract available.

PMID: 17414361 [PubMed - indexed for MEDLINE]

Danshaw CB.

An anesthetic approach to amputation and pain syndromes.

Phys Med Rehabil Clin N Am. 2000 Aug;11(3):553-7. Review.

PMID: 10989477 [PubMed - indexed for MEDLINE]

Davis RW.

Successful treatment for phantom pain.

Orthopedics. 1993 Jun;16(6):691-5. Review.

Davis KD, Kiss ZH, Luo L, Tasker RR, Lozano AM, Dostrovsky JO.

Phantom sensations generated by thalamic microstimulation.

Nature. 1998 Jan 22;391(6665):385-7.

Doetsch GS.

Progressive changes in cutaneous trigger zones for sensation referred to a phantom hand:

a case report and review with implications for cortical reorganization.

Somatosensory & motor research 1997; 14(1): 6-16.

Dijkstra PU, Rietman JS, Geertzen JH.

Phantom breast sensations and phantom breast pain:

a 2-year prospective study and a methodological analysis of literature.

Eur J Pain. 2007 Jan;11(1):99-108. Epub 2006 Feb 17.

Dudkiewicz I, Gabrielov R, Seiv-Ner I, Zelig G, Heim M.

Evaluation of prosthetic usage in upper limb amputees.

Disabil Rehabil. 2004 Jan 7;26(1):60-3.

Ehde DM, Czerniecki JM, Smith DG, Campbell KM, Edwards WT, Jensen MP, Robinson LR.

Chronic phantom sensations, phantom pain, residual limb pain, and other regional pain after lower limb amputation.

Arch Phys Med Rehabil. 2000 Aug;81(8):1039-44.

Fainsinger RL, de Gara C, Perez GA.

Amputation and the prevention of phantom pain.

J Pain Symptom Manage. 2000 Oct;20(4):308-12.

Finnoff J.

Differentiation and treatment of phantom sensation, phantom pain, and residual-limb pain.

J Am Podiatr Med Assoc. 2001 Jan;91(1):23-33. Review.

Finsen V, Persen L, Lovlien M, Veslegaard EK, Simensen M, Gasvann AK, Benum P.

Transcutaneous electrical nerve stimulation after major amputation. *TENS Journal of bone and joint surgery*, 1988, jan, vol 70-B, no 1.

Flor H, Elbert T, Knecht S, Wienbruch C, Pantev C, Birbaumer N, Larbig W, Taub E.

Phantom-limb pain as a perceptual correlate of cortical reorganisation following arm amputation. *Nature*, Vol 375, 8th june 1995.

Flor H, Elbert T, Muhlneckel W, Pantev C, Wienbruch C, Taub E.

Cortical reorganization and phantom phenomena in congenital and traumatic upper-extremity amputees.
Exp Brain Res. 1998 Mar;119(2):205-12.

Flor H, Denke C, Schaefer M, Grüsser S.
Effect of sensory discrimination training on cortical reorganisation and phantom limb pain.
The lancet, Vol 357, June 2, 2001.

Flor H.
Painful memories; can we train chronic pain patients to 'forget' their pain.
EMBO reports 3, 4, 288-291, 2002.

Flor H.
The modification of cortical reorganization and chronic pain by sensory feedback. Appl Psychophysiol Biofeedback. 2002 Sep;27(3):215-27.

Flor H.
Phantom-limb pain: characteristics, causes, and treatment.
Lancet Neurol. 2002 Jul;1(3):182-9. Review.

Flor H.
Remapping somatosensory cortex after injury.
Adv Neurol. 2003;93:195-204. Review.

Flor H, Nikolajsen L, Staehelin Jensen T.
Phantom limb pain: a case of maladaptive CNS plasticity?
Nat Rev Neurosci. 2006 Nov;7(11):873-81. Review.

Flor H, Diers M.
Limitations of pharmacotherapy: behavioral approaches to chronic pain.
Handb Exp Pharmacol. 2007;(177):415-27. Review.

Giummarra MJ, Gibson SJ, Georgiou-Karistianis N, Bradshaw JL.
Central mechanisms in phantom limb perception: the past, present and future.
Brain Res Rev. 2007 Apr;54(1):219-32. Review.

Grusser SM, Diers M, Flor H.
[Phantom limb pain: aspects of neuroplasticity and intervention]DUITS ("Aspekte der Neuroplastizität und Intervention")
Anesthesiol Intensivmed Notfallmed Schmerzther. 2003 Dec;38(12):762-6.
Review. German.

Halbert J, Crotty M, Cameron I.D.
Evidence for the optimal management of acute and chronic phantom pain: a systematic review. The clinical journal of pain. 18: 84-92, 2002.

Hampton T.
Pain and the brain: researchers focus on tackling pain memories.
American Medical Association, 2005.

Hanley MA, Ehde DM, Campbell KM, Osborn B, Smith DG.
Self-reported treatments used for lower-limb phantom pain: descriptive findings.
Arch Phys Med Rehabil. 2006 Feb;87(2):270-7.

Hill A.
The use of pain coping strategies by patients with phantom limb pain.
Pain. 1993 Dec;55(3):347-53.

Hill A, Niven CA, Knussen C.
The role of coping in adjustment to phantom limb pain.
Pain. 1995 Jul;62(1):79-86.

Hill A, Niven CA, Knussen C.
Pain memories in phantom limbs: a case study.
Pain. 1996 Aug;66(2-3):381-4.

Hill A.
Phantom Limb Pain: a Review of the literature on attributes and potential mechanisms. Journal of pain and symptom management, Vol. 17, No. 2, February 1999.

Hung GU, Tan TS, Kao CH, Wang SJ.
Focal cerebral hyper-perfusion in phantom limbs: assessed by Tc-99m HMPAO SPECT.
Kaohsiung J Med Sci. 2000 Aug;16(8):429-31.
PMID: 11221547 [PubMed - indexed for MEDLINE]

Huse E, Larbig W, Flor H, Birbaumer N.
The effect of opioids on phantom limb pain and cortical reorganization.
Pain 90, 2001, 47-55.

Irlbacher K, Kuhnert J, Roricht S, Meyer BU, Brandt SA.
[Central and peripheral deafferent pain : Therapy with repetitive transcranial magnetic stimulation.]
Nervenarzt. 2006 Oct;77(10):1196-203. German.

Jacobson L, Chabal C.
Prolonged relief of acute postamputation phantom limb pain with intrathecal fentanyl and epidural morphine.
Anesthesiology. 1989 Dec;71(6):984-5. No abstract available.

Jacobson L, Chabal C, Brody MC, Mariano AJ, Chaney EF.
A comparison of the effects of intrathecal fentanyl and lidocaine on established postamputation stump pain.
Pain. 1990 Feb;40(2):137-41.

Jaeger H, Maier C.
Calcitonin in phantom limb pain: a double-blind study.
Pain. 1992 Jan;48(1):21-7.

Jensen TS, Krebs B, Nielsen J, Rasmussen P.
Phantom limb, phantom pain and stump pain in amputees during the first 6 months following limb amputation.
Pain. 1983 Nov;17(3):243-56.

Jensen TS, Krebs B, Nielsen J, Rasmussen P.
Immediate and long-term phantom limb pain in amputees: incidence, clinical characteristics and relationship to pre-amputation limb pain.
Pain. 1985 Mar;21(3):267-78.

Jensen MP, Ehde DM, Hoffman AJ, Patterson DR, Czerniecki JM, Robinson LR.
Cognitions, coping and social environment predict adjustment to phantom limb pain.
Pain. 2002 Jan;95(1-2):133-42.

Karl A, Birbaumer N, Lutzenberger W, Cohen LG, Flor H.
Reorganization of motor and somatosensory cortex in upper extremity amputees with phantom limb pain.

J Neurosci. 2001 May 15;21(10):3609-18.

Karl A, Diers M, Flor H.
P300-amplitudes in upper limb amputees with and without phantom limb pain in a visual oddball paradigm.
Pain. 2004 Jul;110(1-2):40-8.

Katayama Y, Yamamoto T, Kobayashi K, Kasai M, Oshima H, Fukaya C.
Motor cortex stimulation for phantom limb pain: comprehensive therapy with spinal cord and thalamic stimulation.
Stereotact Funct Neurosurg. 2002;77(1-4):159-62.

Katz J, Melzack R.
Pain 'memories' in phantom limbs: review and clinical observations.
Pain. 1990 Dec;43(3):319-36. Review.

Kern U, Martin C, Scheicher S, Muller H.
[Treatment of phantom pain with botulinum-toxin A. A pilot study]
Schmerz. 2003 Apr;17(2):117-24. German.

Kiefer RT, Wiech K, Topfner S, Haerle M, Schaller HE, Unertl K, Birbaumer N.
Continuous Brachial Plexus Analgesia and NMDA-receptor Blockade in Early Phantom Limb Pain: A Report of Two Cases.
Pain Med. 2002 Jun;3(2):156-60.
PMID: 15102164 [PubMed - in process]

Klein SM, Eck J, Nielsen K, Steele SM.
Anesthetizing the phantom: peripheral nerve stimulation of a nonexistent extremity.
Anesthesiology. 2004 Mar;100(3):736-7. No abstract available.

Knecht S, Henningsen H, Elbert T, Flor H, Hohling C, Pantev C, Taub E.
Reorganizational and perceptual changes after amputation.
Brain. 1996 Aug;119 (Pt 4):1213-9.

Kooijman CM, Dijkstra PU, Geertzen JH, Elzinga A, van der Schans CP.
Phantom pain and phantom sensations in upper limb amputees: an epidemiological study.
Pain. 2000 Jul;87(1):33-41.

Lacoux PA, Crombie IK, Macrae WA.
Pain in traumatic upper limb amputees in Sierra Leone. Pain, 99, 2002, 309-312.

Lambert AW, Dashfield AK, Cosgrove C, Wilkins DC, Walker AJ, Ashley S.
Randomized prospective study comparing preoperative epidural and intraoperative perineural analgesia for the prevention of postoperative stump and phantom limb pain following major amputation. Regional Anesthesia and Pain Medicine, Vol 26, No 4, July-August 2001, pp 316-321.

Liaw MY, You DL, Cheng PT, Kao PF, Wong AM.
Central representation of phantom limb phenomenon in amputees studied with single photon emission computerized tomography.
Am J Phys Med Rehabil. 1998 Sep-Oct;77(5):368-75.

Lotze M, Grodd W, Birbaumer N, Erb M, Huse E, Flor H.
Does use of a myoelectric prosthesis prevent cortical reorganization and phantom limb pain?
Nat Neurosci. 1999 Jun;2(6):501-2.

Lotze M, Montoya P, Erb M, Hulsmann E, Flor H, Klose U, Birbaumer N, Grodd W.

Activation of cortical and cerebellar motor areas during executed and imagined hand movement: an fMRI study. *Journal of cognitive neuroscience* 11: 5, pp 491-501, 1999.

Lotze M, Flor H, Grodd W, Larbig W, Birbaumer N.
Phantom movements and pain; an fMRI study in upper limb amputees. *Brain*, 2001, 124, 2268-2277.

Luft AR, McCombe-Waller S, Whitall J, Forrester LW, Macko R, Sorkin JD, Schulz JB, Goldberg AP, Hanley DF.
Repetitive Bilateral Arm Training and Motor Cortex Activation in Chronic Stroke.

American Medical Association, 2004, vol 292, no 15, 1853-1861.

Manchikanti L, Singh V.
Managing phantom pain.
Pain Physician. 2004 Jul;7(3):365-75.

Machin P, Williams ACC.
Stiff upper lip: coping strategies of World War II Veterans with phantom limb pain 1998;14:290-294.

MacLachlan M, McDonald D, Waloch J.
Mirror treatment of lower limb phantom pain: a case study.
Disability and rehabilitation, 2004; vol. 26, no. 14/15, 901-904.

Maier C, Dertwinkel R, Mansourian N, Hosbach I, Schwenkreis P, Senne I, Skipka G, Zenz M, Tegenthoff M.
Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain - results of a randomized double-blinded, placebo-controlled trial. *Pain*, 103, 2003, 277-283.

Murray CD, Pettifer S, Howard T, Patchick EL, Caillette F, Kulkarni J, Bamford C.
The treatment of phantom limb pain using immersive virtual reality: three case studies.
Disabil Rehabil. 2007 Sep 30;29(18):1465-9.

Melzack R.
Phantom limbs and the concept of a neuromatrix.
Trends Neurosci. 1990 Mar;13(3):88-92. Review.

Melzack R.
Phantom limbs.
Sci Am. 1992 Apr;266(4):120-6. No abstract available.

Melzack R, Israel R, Lacroix R, Schultz G.
Phantom limbs in people with congenital limb deficiency or amputation in early childhood. *Brain*, 1997, 120, 1603-1620.

Melzack R.
Pain and the neuromatrix in the brain.
J Dent Educ. 2001 Dec;65(12):1378-82.

Melzack R,Coderre TJ, Katz J, Vaccarino AL.
Central neuroplasticity and pathological pain.
Annals New York Academy of sciences (2001), p 157-174.

Middleton C.

The causes and treatments of phantom limb pain.
Nurs Times. 2003 Sep 2-8;99(35):30-3. Review.

Moseley GL.

Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomized controlled trial. Pain 108, 2004, 192-198.

Nicholson BD.

Evaluation and treatment of central pain syndromes.
Neurology, 2004;62:S30-S36.

Murray CD, Pettifer S, Howard T, Patchick EL, Caillette F, Kulkarni J, Bamford C.

The treatment of phantom limb pain using immersive virtual reality: three case studies.

Disabil Rehabil. 2007 Sep 30;29(18):1465-9.

Nikolajsen L, Ilkjaer S, Kroner K, Christensen JH, Jensen TS.

The influence of preamputation pain on postamputation stump and phantom pain.

Pain. 1997 Sep;72(3):393-405.

Nikolajsen L, Staehelin Jensen T.

Phantom limb pain.

Curr Rev Pain. 2000;4(2):166-70. Review.

Nikolajsen L, Jensen TS.

Phantom limb pain.

British Journal of Anaesthesia, 87 (1): 107-16, 2001.

Oakley DA, Whitman LG, Halligan PW.

Hypnotic imagery as a treatment for phantom limb pain: two case reports and a review. Clinical rehabilitation 2002, 16, 368-377.

Pinzur MS, Garla PG, Pluth T, Vrbos L.

Continuous postoperative infusion of a regional anesthetic after an amputation of the lower extremity. A randomized clinical trial.

J Bone Joint Surg Am. 1996 Oct;78(10):1501-5.

Ramachandran VS, Rogers-Ramachandran D, Cobb S.

Touching the phantom limb. Nature, vol 377, 12 october 1995.

Ramachandran VS, Hirstein W.

The perception of phantom limbs. The D. O. Hebb lecture.

Brain. 1998 Sep;121 (Pt 9):1603-30. Review.

Ramachandran VS, Rogers-Ramachandran D.

Phantom limbs and neural plasticity.

Arch Neurol. 2000 Mar;57(3):317-20.

Ramachandran VS, Rogers-Ramachandran D.

The phantom hand.

Scientific American Mind, 2004, 99-100.

Ramachandran VS, Rogers-Ramachandran D.

Phantom limbs and neural plasticity.

Neurological review, 2000, vol 57; 317-320.

Ramachandran VS, Rogers-Ramachandran D.

The phantom hand.

Scientific american mind, 2004.

Ramachandran VS.

Plasticity and functional recovery in neurology.
Clinical medicine; 2005: vol 5; 368-373.

Rasmussen S, Kehlet H.

Management of nerves during leg amputation--a neglected area in our understanding of the pathogenesis of phantom limb pain.
Acta Anaesthesiol Scand. 2007 Sep;51(8):1115-6.

Richardson C, Glenn S, Horgan M, Nurmikko T.

A prospective study of factors associated with the presence of phantom limb pain six months after major lower limb amputation in patients with peripheral vascular disease.
J Pain. 2007 Oct;8(10):793-801. Epub 2007 Jul 12.

Rosen G, Hugdahl K, Erslund L, Lundervold A, Smievoll AI, Barndon R, Sundberg H, Thomsen T, Roscher BE, Tjolsen A, Engelsen B.

Different brain areas activated during imagery of painful and non-painful 'finger movements' in a subject with an amputated arm.
Neurocase. 2001;7(3):255-60.

Sherman RA, Sherman CJ, Gall NG.

A survey of current phantom limb pain treatment in the United States.
Pain. 1980 Feb;8(1):85-99.

Sherman RA, Sherman CJ, Parker L.

Chronic phantom and stump pain among American veterans: results of a survey.
Pain. 1984 Jan;18(1):83-95.

Sherman RA, Sherman CJ, Bruno GM.

Psychological factors influencing chronic phantom limb pain: an analysis of the literature.
Pain. 1987 Mar;28(3):285-95. Review.

Sherman RA.

Stump and phantom limb pain.
Neurol Clin. 1989 May;7(2):249-64. Review.

Sherman RA, Arena JG, Sherman CJ, Ernst JL. [PDF]

The mystery of phantom pain: growing evidence for psychophysiological mechanisms.
Biofeedback Self Regul. 1989 Dec;14(4):267-80. Review.

Siddle L.

The challenge and management of phantom limb pain after amputation.
British Journal of Nursing, 2004, vol 13, no 11.

Sol J, Casaux J, Roux FE, Lotterie JA, Bousquet P, Verdie J, Mascott Ch, Lazorthes Y.

Chronic motor cortex stimulation for phantom limb pain: correlations between pain relief and functional imaging studies. Stereotactic functional neurosurgery, 2001; 77: 172-176.

Stremmel C, Sittl R, Eder S.

[Phantom pain after major amputation--etiology, treatment and prognosis.]
Dtsch Med Wochenschr. 2002 Sep 27;127(39):2015-20. Review. German. No abstract available.

Taylor CP, Gee NS, Su TZ, Kocsis JD, Welty DF, Brown JP, Dooley DJ, Boden P, Singh L. [PDF]

A summary of mechanistic hypotheses of gabapentin pharmacology.

Epilepsy Res. 1998 Feb;29(3):233-49. Review.

PMID: 9551785 [PubMed - indexed for MEDLINE]

Topper R, Foltys H, Meister IG, Sparing R, Boroojerdi B.

Repetitive transcranial magnetic stimulation of the parietal cortex transiently ameliorates phantom limb pain-like syndrome.

Clin Neurophysiol. 2003 Aug;114(8):1521-30.

Vanderlaan L.

The Resolution of Phantom Limb Pain in a 15-year-old girl using EMDR.

EMDRIA Newsletter, special edition dec 2000 - juni 2001.

Wall GC, Heyneman CA.

Calcitonin in phantom limb pain.

Ann Pharmacother. 1999 Apr;33(4):499-501. Review.

PMID: 10332543 [PubMed - indexed for MEDLINE]

Weinstein SM.

Phantom pain.

Oncology (Huntingt). 1994 Mar;8(3):65-70; discussion 70, 73-4. Review.

Weinstein SM.

Phantom limb pain and related disorders.

Neurol Clin. 1998 Nov;16(4):919-36. Review.

Weiss SA, Lindell B.

Phantom limb pain and etiology of amputation in unilateral lower extremity amputees.

J Pain Symptom Manage. 1996 Jan;11(1):3-17.

Wiech K, Preissl H, Birbaumer N.

Neuroimaging of chronic pain: phantom limb and musculoskeletal pain.

Scand J Rheumatol Suppl. 2000;113:13-8. Review.

Wiech K, Kiefer RT, Topfner S, Preissl H, Braun C, Unertl K, Flor H, Birbaumer N.

A placebo-controlled randomized crossover trial of the N-methyl-D-aspartic acid receptor antagonist, memantine, in patients with chronic phantom limb pain.

Anesth Analg. 2004 Feb;98(2):408-13, table of contents.

Willoch F, Rosen G, Tolle TR, Oye I, Wester HJ, Berner N, Schwaiger M, Bartenstein P.

Phantom limb pain in the human brain: unraveling neural circuitries of phantom limb sensations using positron emission tomography.

Ann Neurol. 2000 Dec;48(6):842-9.

Witte A de, Houdenhove B van.

Posttraumatische stress-stoornis en chronische pijn (gevalsbeschrijving).

Tijdschr v Psychiatrie 43 (2001)9,651-54.

Zuurmond WWA, Zande AH van der, Lange JJ de.

Fantoompijn na beenamputaties: retrospectief onderzoek van frequentie, therapie en het effect van preoperatieve analgesie. Ned Tijdschr Geneeskd, 1996, 18 mei: 140 (20).